

Index

a

- absorbing aerosols 511
- absorption opacity 250
- accumulation mode particles
 - 499, 551
- acid drainage dust 674
- Acidithiobacillus ferrooxidans* 677
- acid-mine drainage (AMD) 677, 678
- acid-rock drainage (ARD) 677–678
- acid-rock generation (ARG) 677
- activated carbon 355, 366, 489
- activated sludge process 367
- adiabatic lapse rate 514
- Administrative Law and Rulemaking
 - Procedure 47–48
- adsorption 176, 366
- advection 174
- advection–dispersion–reaction
 - equation (ADRE) 615
- aeolian dust 493
- aerodynamic particle diameter
 - 498, 501
- AERONET 504
- aerosol(s) 551
 - aging processes 501–502
 - chemical composition 506–508
 - climate 511–513
 - definition 493
 - density 498
 - diameter growth factor 509
 - emission control technology
 - 513–514
 - formation 501–502
 - hygroscopic diameter growth
 - factor 511
 - hygroscopicity 508–512
 - light extinction properties 511
 - meteorology 511–513
 - optical properties 502–506, 509
 - particle affinity for water 510
 - physical properties 509
 - sampling concerns 501
 - size distribution 499–502
 - volcanic eruptions 493
 - water-containing 498
- aerosol chemical speciation monitor
 - (ACSM) 508
- aerosol mass spectrometry
 - (AMS) 508
- Agency for Toxic Substances and
 - Disease Registry
 - (ATSDR) 596
- agitated tank leaching systems 677
- agricultural reuse, of reclaimed
 - wastewater
 - advantages 388
 - constituents of concern
 - emerging of 389
 - macronutrients and
 - micronutrients 389
 - salinity 389
 - design considerations
 - compatibility and
 - reliability 395
 - salinity 395
 - seasonal demand, variations
 - in 395
 - impoundments
 - artificial snowmaking 395
 - contact-and noncontact-type
 - impoundment 396
 - design considerations 397
 - nutrient 396
 - pathogens 396
 - recreational impoundments 395
 - treatment objectives 396–398
 - treatment technologies 396
 - treatment objectives
 - food crops 389–392
 - nonfood crops 390, 393–394
 - treatment technologies 390
 - advanced treatment 395
 - disinfection 395
 - Airborne Microwave Observatory of
 - Subcanopy and Subsurface
 - (AirMOSS) 260–261
 - airborne sensors
 - AirMOSS 260–261
 - E-SAR/F-SAR/PLMR2, 261–262
 - and features 260
 - HyMap 259–260
 - unmanned aerial systems
 - 262–263
 - unmanned aerial vehicles
 - (UAVs) 259
 - air-cooled slag 680
 - air cyclones, solid waste 652, 653
 - air pollution control
 - Air Pollution Control Act 453
 - Clean Air Act 453
 - control of particulates
 - baghouse 470–476
 - control devices efficiency
 - of 460
 - cyclones 461–465
 - electrostatic precipitators
 - 465–470
 - mechanical collectors 460–461
 - emissions of particulates
 - aerodynamic behavior of
 - particles 458
 - characteristics of 457–458
 - chemical and physical
 - characteristics 453
 - control technologies 455–456
 - cost of control devices 457
 - gas cleaning 457

- air pollution control (*cont'd*)
 - National Emissions Inventory (NEI) 454
 - particle settling, by gravity 458
 - PM-2.5 emission 455
 - PM-2.5 particulates 454
 - PM-10 particulates 454
 - process optimization 456–457
 - gaseous compounds, control of
 - oxides of nitrogen (NO_x) 476
 - packed towers 487–488
 - reactions 476–481
 - sulphur dioxide, control of 481–483
 - volatile organic compounds 488–491
 - wet scrubbers 484–487
 - National Ambient Air Quality Standards (NAAQS) 453
 - regenerative thermal oxidizer 491
 - Air Pollution Control Act 453
 - air separators 649–652
 - air stripping 356–358
 - air velocity measurements 538–539
 - Aitken modes 499
 - aluminium 679, 681
 - ambient aerosols 498–499
 - accumulation mode particles 499
 - Aitken modes 499
 - coarse mode particles 499
 - nucleation 499
 - particle size measurements 499–501
 - ambient noise measurement
 - community noise 577–579
 - roadside noise 575–577
 - sound level meters 574–575
 - standards 578–579
 - American Association of State Highway and Transportation Officials (AASHTO) 442
 - American Institute of Chemical Engineers' Centre for Waste Reduction Technologies (AICHE–CWRT) 698
 - Amprobe SM-20A 575
 - anaerobic digestion 370
 - anaerobic pretreatment 418
 - anaerobic processes 369–370
 - anthropogenic emissions 503
 - aquifers
 - solute transport 312–313
 - unconfined aquifers 310
 - wells in 311–312
 - artificial intelligence
 - algorithms 648
 - artificial neural network 92
 - cellular automata 92
 - fuzzy cognitive mapping 92–93
 - artificial snowmaking 395
 - asbestos 545
 - ASTM C618, 601
 - atmospheric aerosols
 - ambient aerosols 498–499
 - accumulation mode particles 499
 - Aitken modes 499
 - coarse mode particles 499
 - nucleation 499
 - particle size measurements 499–501
 - gaseous medium 497
 - history and regulation 493–494
 - particle concentration measurements 494–497
 - particle size effects 497
 - particle size measurements
 - aerodynamic diameter 498
 - terminal settling velocity 497–498
 - particulate matter 493
 - atmospheric deposition 495
 - atmospheric radiation measurement (ARM) 508
 - atmospheric visibility 495
 - attenuation
 - engineered 579–580
 - natural 580
 - processes 593
 - audit exercise plan
 - audit program development 716
 - checklists 716
 - reporting procedures 716
 - timing and frequency 716
 - upcoming audit program 716–717
 - waste audit scope 715–716
 - audit team formation 714–715
- b**
- Background site, Bosque del Apache, New Mexico 506
 - backscatter 251
 - baghouse
 - fabric selection 472–473
 - performed spray towers 474
 - pulse-jet baghouse 472
 - reverse air cleaning 471
 - shaker-type fabric filters 470–471
 - venturi scrubbers 474–476
 - wet collectors 473–474
 - balanced scope, definition 716
 - baler 664–665
 - ballistic separation 660–662
 - basic oxygen furnace (BOF) 679, 680
 - Beer-Lambert Law 23, 504
 - bench-scale laboratory development 694
 - beta-attenuation monitor mass concentrations 496
 - bioaerosols 497
 - control of 554–555
 - indoor 553–554
 - sampling 554
 - biogas 418
 - biogeochemical processes 72–73
 - bioleaching, of ores 676
 - biological aerated filters 369
 - biological agents 546
 - biomass burning source testing 510
 - biomass smoke aerosols 494, 502, 510
 - black acid 685
 - blister copper 681
 - boiler water makeup 403
 - boundary layer parameterization 72
 - boundary layer turbulence 71–72
 - briquettes/cubes 661–663
 - Brownian diffusion 497
 - Brownian motion 552
 - Buckingham–Darcy Equation
 - steady-state evaporation and infiltration 160–162
 - transient infiltration 162–163
- c**
- calcium oxide (CaO) 482, 602–603
 - California bearing ratio (CBR) 602–605
 - California Gold Rush 674
 - carbonaceous aerosols 510
 - carbon dioxide (CO₂) 544, 681, 682
 - carbon monoxide (CO) 521, 545–546
 - Caro's acid 675
 - casting sands 680

- Central Pollution Control Board (CPCB) 578
- CEQ regulations 50–51
- CERCLA
 - cleanup standards 62
 - liability 61–62
 - national priorities list and cleanup process 62
- CerOx process 365
- Chapter 62-610 of the Florida Administrative Code for Reuse of Reclaimed Water and Land Application 380
- chemical metallurgy wastes
 - hydrometallurgical wastes
 - electrorefining/electrowinning 685–686
 - pickling liquors 686
 - precipitation 682–685
 - principal methods 678
 - pyrometallurgical wastes
 - gaseous wastes 680–682
 - solid wastes 679–680
- chemical oxygen demand (COD) 720
- chemical precipitation 682–685
- chemical process design 698
- chlorine residual 398
- circular economy 629
- Clean Air Act 453, 494, 681
 - motor vehicles and fuels 54
 - National Ambient Air Quality Standards and State Implementation Plans 52–53
 - National Emissions Standards for Stationary Sources 53–54
 - prevention of significant deterioration (PSD) requirements 53
 - Regulation of Greenhouse Gases 54–55
- clean air delivery rate (CADR) 529
- cleaner production 689, 690
- Clean Water Act 351
 - National Pollutant Discharge Elimination System Permits 56
 - Technology-Based Effluent Limitations 56–57
 - Water Quality Standards 57–58
- Clean Water Act and the National Pretreatment Program (40 CFR 403) 371
- climate change 51–52, 541
 - climate change impact analysis
 - anthropogenic hazards
 - air pollution 89
 - deforestation and desertification 89
 - automated land cover stratification, of Alpine Environments 111–114
 - climate data
 - data sources and collaborations 96
 - filling spatial data gaps 97
 - filling temporal data gaps 96–97
 - modeling data 95–96
 - observational data 95
 - climate hazards
 - cryosphere 89–90
 - flooding 89
 - sea level rise 90
 - wildfire 89
 - critical zone concept
 - critical zone
 - observatories 86–87
 - definition 84
 - life-sustaining resources 84
 - long-term processes and impacts 85
 - physical, chemical, and biological processes 85
 - short-term processes and impacts 85
 - societal adaptations 85
 - soil erosion, rates of 85
 - soil profile 85
 - spatial and temporal scales 85
 - surface and nearsurface systems 83
 - terrestrial life 85
 - water resource 85
 - geomorphometry
 - research and applications 99–100
 - software package evaluation 100–102
 - geophysical hazards
 - earthquakes 88
 - landslide 89
 - volcanic eruptions 88–89
 - modeling glacier change 106–111
 - risk control
 - artificial intelligence 91–92
 - mitigation 93
 - radar technology 91
 - rivers basins, in San Juan Mountains, Colorado
 - river channel extraction 106
 - scale characterization 103–104
 - terrain analysis 104–106
 - statistics in climatology
 - geostatistics 97–98
 - linear regression analysis and significance test 97
 - PCA (EOF) and wavelet analysis 98
 - time and space analysis
 - climate data and climatic skills 94–95
 - integration of 95
 - urbanization and greenhouse gas emission 94
 - in United States 83
- climate downscaling 76–77
- climate modeling
 - atmosphere-ocean-land system 67
 - boundary conditions and vertical coordinate 70
 - centennial time scales, multidecadal to 76
 - climate downscaling 76–77
 - components 73
 - computer code generation 67
 - developmental cycle 67
 - discretization and numerical methods 68–70
 - historical development
 - coupled atmosphere-ocean models 68
 - earth system model (ESM) 68
 - weather forecasting 67–68
 - interannual-to-decadal time scales, climate prediction on 75–76
 - physical and subgrid-scale parameterization
 - biogeochemical processes 72–73
 - boundary layer turbulence 71–72
 - gravity wave drag 72
 - land surface processes 72
 - moist processes and cloud physics 71
 - radiative processes 71
 - research on 67
 - statistical model 77
 - validation of model 67
 - validations of models 73–74

- cloud microphysics 71
- CLTs *see* column leach tests (CLTs)
- coal combustion products (CCPs) 599
- coarse mode particles 499, 551
- Code of Federal Regulation (CFR) 583, 590, 595
- Coke 681
- colloidal particles 684
- color sorting 643–644
- column leach tests (CLTs) 611, 612
- combustion aerosols 493
- combustion, outdoor air 521–522
- Common Law 48–50
- common sense approach 718
- community noise pollution 577–579
- compaction/baling 663–665
- completely mixed flow reactor (CMFR)
 - conservation of mass law 522
 - constant coefficients 523–524
 - material balance 522
 - quantity of material per time 523
- complex waste minimization audit 720
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) 589
- Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) 597
- conceptual design 693
- condensation particle counter (CPC) 496–497, 500
- Conditionally Exempt Small Quantity Generators (CESQG) 595
- conservation of mass law 522
- constant-head flow method 170
- constant head test 435
- constant injection method 538
- construction and demolition (C&D) 599
- continental drift 94
- convective parameterization 71
- cooling water systems 402
- copper hydroxide (Cu(OH)₂) 682, 683, 685
- corrugated cardboard (OCC) 638
- cost-benefit analysis (CBA) 11
- coulter counter method 142
- coupled model intercomparison project (CMIP) 74
- critical zone concept
 - critical zone observatories 86–87
 - definition 84
 - life-sustaining resources 84
 - long-term processes and impacts 85
 - physical, chemical, and biological processes 85
 - short-term processes and impacts 85
 - societal adaptations 85
 - soil erosion, rates of 85
 - soil profile 85
 - spatial and temporal scales 85
 - surface and nearsurface systems 83
 - terrestrial life 85
 - water resource 85
- cubed sphere method 70
- cyclones
 - multicyclones 462
 - performance of separators 462–464
 - pressure drop 464–465
 - spiral motion 461
 - vane-axial cyclones 461
- d**
 - Darcy's law 158–159, 311
 - data quality objectives (DQOs)
 - definition 14
 - feasibility 16
 - geographic area 15–16
 - quantitative DQOs 15
 - sampling and analysis plan 15
 - decibel, noise level 573–574
 - density/gravity separation
 - air cyclones 652
 - air separators 649–652
 - heavy media separators 652–653
 - stoners 652
 - deposition velocity 524–526
 - desalination 375
 - detection approaches 23
 - diethanolamine (DEA) 682
 - differential mobility analyzer (DMA) 499, 510
 - diffusion 174
 - direct measurement 13
 - disinfection by-products (DBPs) 346
 - disk screen 638
 - dispersion 174–176
 - dissolved air flotation (DAF) 359
- dissolved organic carbon (DOC) 378
- dissolved oxygen depletion
 - nitrification 339
 - redox sequence 339–341
- double-ring infiltration method 172
- Douglas's hierarchical procedure 704
- drift velocity 531
- dripper method 173
- dry and wet sieving methods 140–141
- dual energy X-ray transmission (DE-XRT) 645
- dump leaching 677
- DuPont's 10-step method of Engineering Evaluations for Pollution Prevention 698, 699
- dust
 - solid wastes 680
 - vs.* urban-industrial pollution aerosols 510
- dynamical downscaling 76
- e**
 - Earth's surface 499
 - Earth system model (ESM) 68
 - Eddy-current separation 657–659
 - effective curve number (ECN) 427
 - electrical mobility sizing techniques 499
 - electric arc furnaces (EAF) 679–681
 - electrochemical process 365
 - electrokinetic (EK) treatment 209
 - amendments 210
 - bioremediation and biotreatment 210
 - chelating agents 210
 - chemical surfactants 210
 - crude oil recovery
 - field evidence of oil 234–235
 - laboratory evidence 232–234
 - direct electric current in soils 210 and electrochemical remediation methods 210
 - electrochemical transformations 219–222
 - electrodialysis 210
 - electrokinetic extraction
 - ammonium, NH₄ + extraction 224
 - containment 232
 - cyanide and fluoride extraction 224–225

- and extraction 222–223
- hexavalent chromium
 - extraction 225
- NaCl extraction/
 - separation 223
- perchlorate, ClO_4^- extraction 223–224
- stabilization and immobilization 228–232
- sulfate, nitrate and chloride
 - extraction 225–226
- unsaturated soils 226–227
- VOCs, PAHs, and organic acids 227–228
- electromigration 211–212
- electroosmosis
 - EO efficiency coefficient 214
 - Helmholtz-Smoluchowski (H–S) theory 212
 - ionic conductance 213
 - Lehigh EK test cell
 - assembly 214
 - nonlinearity and nonuniformity 213
 - parallel resistances models 213
 - wet clay systems 213
 - ζ potential 213
- mathematical modeling of
 - transport 216–219
- nonpolar compounds 210
- pH fronts and hydrogen and chlorine gas 210
- porosity and biodiversity 210
- redox reactions 211
- electrometallurgy 679
- electrorefining (ER) 679, 685–686
- electrostatic precipitators (ESPs) 514
 - design parameters 469–470
 - dry and wet systems 465
 - particle charging 466–468
 - particle filtration 530–531
 - wet ESP 468–469
- electrowinning (EW) 679, 685–686
- Emergency Planning and Community
 - Right-to-Know Act (EPCRA) 589
- emission control technology,
 - aerosols 513–514
- emissions 557–559
- endocrine disrupting compounds (EDCs) 379
- end-of-pipe treatment 709, 710
- energy balance methods 272
- energy efficiency retrofits 541–542
- energy-induced waste minimization
 - networks (EIWAMINs) 706
- energy minimization program 714
- enforcement and liability
 - citizen suits 63
 - monitoring compliance and violence 64–65
 - penalties, for violating environmental laws 63–64
- environmental audits 594–596
- environmental fluid mechanics
 - advection-diffusion
 - equations 313–314
 - nonuniform and turbulent mixing 317
 - pure diffusion 314–316
 - steady downstream
 - concentration field 317
 - stream-wise advection 317
- groundwater flow
 - Darcy's law 311
 - hydraulic head and hydraulic conductivity 310–311
 - saturated/unsaturated zones 310
 - solute transport, in aquifers 312–313
 - unconfined aquifers 310
 - wells, in aquifers 311–312
- open-channel flow
 - gradually varied flow 305–307
 - specific energy 304–305
 - uniform flow 304
 - unsteady flow equations 307–308
- surface waves
 - linear wave theory 309–310
 - spatial and temporal scales 308
 - Stokes wave theory 309
 - 2D regular surface gravity waves 309
 - wind-generated waves 308
- turbulent buoyant plumes
 - bent-over plumes 322–323
 - chemically reacting plumes 324–325
 - confined and semiconfined plumes 325–326
 - round turbulent plumes 321–322
 - in stratified ambient 324
 - turbulent fountains 325
- turbulent line plumes 322
- unsteady source conditions 325
- turbulent jets
 - in crossflow 319–320
 - pollutant transport 320
 - in quiescent flow 318–319
- environmental impact statements (EIS) 50
- environmental law, for engineers
 - Administrative Law and Rulemaking Procedure 47–48
- CERCLA
 - cleanup standards 62
 - liability 61–62
 - national priorities list and cleanup process 62
- Clean Air Act
 - motor vehicles and fuels 54
 - National Ambient Air Quality Standards and State Implementation Plans 52–53
 - National Emissions Standards for Stationary Sources 53–54
 - prevention of significant deterioration (PSD) requirements 53
 - Regulation of Greenhouse Gases 54–55
- Clean Water Act
 - National Pollutant Discharge Elimination System Permits 56
 - Technology-Based Effluent Limitations 56–57
 - Water Quality Standards 57–58
- Common Law 48–50
- enforcement and liability
 - citizen suits 63
 - monitoring compliance and violence 64–65
 - penalties, for violating environmental laws 63–64
- environmental statutes 46
- Judicial Review 48
- National Environmental Policy Act 50–52
- Resource Conservation and Recovery Act
 - hazardous waste management 59–60
 - identification and classification wastes 58–59

- environmental law, for engineers
 - (*cont'd*)
 - land disposal restrictions 60
 - nonhazardous waste management 59
 - waste incineration 60–61
 - source of law 45
 - US Federal System 46–47
- environmental noise pollution
 - ambient noise measurement
 - community noise 577–579
 - roadside noise 575–577
 - definition of 565–566
 - engineered attenuation 579–580
 - human health effects on 566–567
 - level of 573–574
 - natural attenuation 580
 - noise guidelines 578
 - nuisance of 578
 - sound
 - characteristics of 569–570
 - propagation 567–569
 - tinnitus 566
 - urban areas 565–566
- environmental process design 705
- environmental remediation
 - clean up process 597
 - HRS 596–597
 - NPL 596
 - PA/SI 596
 - RI/FS 597
- environmental reuse, of reclaimed wastewater
 - constituents of concern
 - chlorine residual 398
 - nutrients 398
 - organic matter 398
 - total dissolved solids 398
 - design considerations
 - stream flow augmentation 400
 - wetland 400
 - treatment objectives
 - stream augmentation 399, 401–402
 - wetlands 398–399
 - treatment technologies 399
- environmental sampling approaches
 - grid or systematic sampling 22
 - hypothetical composite sampling grid 20
 - judgmental sampling 22
 - non-composite sampling 18
 - random sampling 22
 - stratified random sampling 22
 - stratified sampling 22
 - uncertainty and contributing errors 21
- environmental systems analysis
 - cost-benefit analysis 11
 - energy and exergy analysis 1–2
 - environmental input-output analysis 5
 - environmental management systems 4–5
 - environmental risk assessment 3–4
 - life cycle assessment 5–9
 - life cycle costing 7
 - material flow analysis (MFA) 2–3
 - social life cycle assessment 7, 9–11
 - substance flow analysis 3
- European automobile manufacturers 673
- eutrophication 341
- evaporation method 172
- evapotranspiration
 - empirical methods, vegetation indices 286–287
 - hybrid methods, FVC-LST Space 287
 - surface energy balance (SEB) models
 - SEBS algorithm 285–286
 - S–SEBI algorithm 286
- exclusion 176–177
- Experimental Synthetic Aperture Radar (E-SAR) 261
- f**
- falling-head flow method 170–171
- falling head test 434–435
- Federal Hazardous and Solid Waste Amendments (HSWA) 589
- Federal Highway Administration (FHWA) 578
- fiber filters 530
- Field and Laboratory Emission Cell (FLEC) 558
- Fifth Intergovernmental Panel on Climate Change (IPCC) Report 67
- filtration 359
- Finding of No Significant Impact (FONSI) 50
- fine-mode particles 495
- finite difference methods 69
- finite volume methods 69
- flotation 359–360
- flowsheet analysis 701–702
 - qualitative methods 702–703
 - quantitative methods 703–706
- fly ash
 - ASTM C618, 601
 - calcium oxide (CaO) 602–603
 - freeze–thaw cycles 606–608
 - geotechnical performance 602–604
- leachate
 - chemical analysis 608–614
 - groundwater numerical modeling 614–616
- MSWI 611
- recycled waste materials 600
- stabilizing agent and soil amendment 601–602
- food crops 389–392
- formaldehyde 544
- formaldehyde (HCHO) 541
- forward scatter 251
- Freundlich model 366
- froth flotation 661
- g**
- gaseous emissions 721
- gaseous wastes 680–682
- gases filter 551–553
 - adsorption processes 531–532
 - evaluating performance 529–530
- Gaussian dispersion modeling 502
- geometrical spreading *see* sound divergence
- GIS data 17
- gold ores 674, 678
- gravity separation *see* density/gravity separation
- gravity wave drag 72
- green chemistry, principles of 693, 694
- green economy 629
- grid/systematic sampling 22
- ground granular blast furnace slag (GGBFS) 680
- groundwater flow
 - Darcy's law 311
 - gravity currents
 - anatomy of 327–328
 - inertial propagation 328
 - viscous propagation 328–329
 - hydraulic head and hydraulic conductivity 310–311

- saturated/unsaturated zones 310
 - solute transport, in
 - aquifers 312–313
 - unconfined aquifers 310
 - wells, in aquifers 311–312
 - groundwater numerical
 - modeling 614–616
 - groundwater recharge, of reclaimed wastewater
 - algae blooms, reduce of 407
 - constituents of concern
 - organic carbon and nutrients 407–408
 - pathogens 408
 - redox potential 408
 - suspended solids 407
 - design considerations 410
 - direct injection systems 407
 - nonpotable water source 406
 - recharge basins 407
 - surface spreading 407
 - treatment objectives 408–4011
 - treatment technologies 409
 - vadose zone injection 407
 - group contribution theory 706
- h**
- haloacetic acid (HAA)
 - compounds 378
 - hammer mill 631–632
 - hand-sorting line 640–642
 - hazard and operability (HAZOP) 703
 - hazardous waste management
 - 59–60
 - classifications for 583, 585
 - definition of 583
 - environmental audits 594–596
 - fate and transport 591–593
 - petroleum oil spill impact 583–584
 - RCRA 585–586
 - imports/exports 587
 - injection well 587
 - land disposal 587
 - mixed wastes 586–587
 - permitting program 588
 - solid waste 589
 - TSDFs 589–590
 - unit 590–591
 - universal wastes 586
 - USTs 589
 - waste oil 586
 - remediation
 - clean up process 597
 - investigation/feasibility study 597
 - NPL 596–597
 - PA/SI 596
 - toxicology 593–594
 - Hazard Ranking System (HRS) 596–597
 - hazards
 - anthropogenic hazards
 - air pollution 89
 - deforestation and desertification 89
 - climate hazards
 - cryosphere 89–90
 - flooding 89
 - sea level rise 90
 - wildfire 89
 - geophysical hazards
 - earthquakes 88
 - landslide 89
 - volcanic eruptions 88–89
 - interdisciplinary thinking
 - approach, in critical zone 90–91
 - health effects, pollutants
 - asbestos 545
 - biological agents 546
 - carbon dioxide 544
 - carbon monoxide 545–546
 - formaldehyde 544
 - nitrogen dioxide 543
 - ozone 543
 - radon 543
 - smoking 544–545
 - VOCs 543
 - heap leaching 677
 - heat exchange network (HEN)
 - synthesis 705
 - heat exchanger network synthesis (HENS) 703
 - heat-induced waste minimization networks (HIWAMINs) 706
 - heating, ventilation, and air-conditioning (HVAC) 529
 - heavy media separators 652–653
 - Helmholtz-Smoluchowski (H-S) theory 212
 - high efficiency particle air (HEPA) 529
 - High Park Fire 502
 - biomass 496
 - northern Colorado 494
 - high-time resolution PM_{2.5} chemical composition 508
 - humidity ratio 540
 - hydraulic head and hydraulic conductivity 310–311
 - hydrometallurgical wastes 676–677
 - electrorefining/ electrowinning 685–686
 - pickling liquors 686
 - precipitation 682–685
 - hydrometallurgy 679
 - hydroxide precipitation 682
 - HYDRUS-2D 615
 - hygroscopic tandem differential mobility analyzer (HTDMA) 510
 - Hyperspectral Mapper (HyMap™) 259–260
 - hypothetical composite sampling grid 20
- i**
- icosahedral grid 69
 - impactor 631
 - impoundments 675–676
 - IMPROVE monitoring network 506–507
 - incinerators 590
 - indoor air quality (IAQ)
 - bioaerosols 553–555
 - CMFR model 522–524
 - combustion 521–522
 - deposition velocity 524–526
 - emissions
 - characterization 557–559
 - energy efficiency retrofits 541–542
 - health effects of (*see* health effects, pollutants)
 - indoor radon
 - control of 550–551
 - sources of 548–550
 - odors 559–560
 - outdoor air 521–522
 - particles and gases filter 551–553
 - evaluating performance 529–530
 - gas adsorption 531–532
 - particle filtration 530–531
 - pollutants 521
 - psychrometrics 540–541
 - radon 546–548
 - thermal comfort 539–540
 - UVGI 527–528

- indoor air quality (IAQ) (*cont'd*)
 - ventilation and infiltration
 - air age 536
 - air exchange effectiveness 536
 - airflow through openings 534–535
 - air leakage measurement 535–536
 - driving mechanisms 532–533
 - large building ventilation practices 534
 - residential ventilation practices 533–534
 - ventilation efficiency 536
 - ventilation measurements
 - air velocity measurements 538–539
 - fan pressurization 539
 - tracer gas techniques 536–538
 - VOC 555–557
 - industrial ecology 700
 - industrial reuse, of reclaimed wastewater
 - constituents of concern
 - boiler water makeup 403
 - cooling water systems 402
 - design considerations 406
 - toilet flushing and on-site irrigation 401
 - treatment objectives 403–405
 - treatment technologies 403, 406
 - industrial waste auditing
 - assessment phase
 - material balance 719–722
 - process flow diagrams 719
 - unit operations 719
 - preassessment phase
 - baseline information collection 717
 - implementable options 718
 - plant walk-through 718
 - preparatory work phase
 - audit exercise plan 715–716
 - audit team formation 714–715
 - management groups 712–714
 - synthesis and preliminary analysis
 - economical evaluation 724
 - prioritizing waste reduction options 724
 - screening and selecting options (*see* weighted sum method)
 - technical evaluation 723–724
 - waste minimization cycle 711–712
 - waste minimization programs 710–711
 - Industrial Waste Management Evaluation Model (IWEM) 615
 - inertial propagation 328
 - infiltration 532
 - infiltration test 435
 - initial-value-problem approach 75
 - injection well 587, 591
 - inorganic toxicants
 - heavy metals 347–348
 - radionuclides 348
 - in situ leaching of ores 677
 - in situ light scattering by particles 506 *see also* light scattering
 - in situ PM_{2.5} mass measurement 496
 - in situ soil and sediment remediation
 - bioremediation and biotreatment 210
 - crude oil recovery
 - field evidence of oil 234–235
 - laboratory evidence 232–234
 - direct electric current
 - electrochemical transformations 219–222
 - electromigration 211–212
 - electroosmosis 212–216
 - mathematical modeling of transport 216–219
 - electrochemical techniques 210
 - electrokinetic extraction
 - ammonium, NH₄⁺ extraction 224
 - containment 232
 - cyanide and fluoride extraction 224–225
 - hexavalent chromium extraction 225
 - NaCl extraction/separation 223
 - perchlorate, ClO₄⁻ extraction 223–224
 - stabilization and immobilization 228–232
 - sulfate, nitrate and chloride extraction 225–226
 - unsaturated soils 226–227
 - VOCs, PAHs, and organic acids 227–228
 - electrokinetic (EK) treatment 209
 - oil transformation
 - displacement 237–239
 - laboratory evidence of 235–237
 - pump-and-treat methods 210
 - transformation reactions 211
 - integrated steel plants 679
 - intensive sampling 14
 - internal drainage method 173
 - International Electrotechnical Committee (IEC) 574
 - International Network for Acid Prevention (INAP) 678
 - intertropical convergence zone (ITCZ) 74
 - inverse square law 572
 - irrigation method 395
 - isokinetic sampling 501
- j**
- judgmental sampling 22
 - Judicial Review 48
- k**
- Kelvin equation 511
 - Kirchhoff's law 250
 - Kozeny–Carman equation 431
 - Kubelka–Munk radiative transfer equation 288
- l**
- land disposal 60, 587
 - landfill mining 628
 - landfills 590–591
 - land surface processes 72
 - land treatment units 591
 - Large Quantity Generators (LQGs) 596
 - laser diffractometry 142–143
 - laser-induced breakdown spectroscopy (LIBS) 646
 - LCA *see* life cycle assessment (LCA)
 - leachate
 - CLTs 611, 612
 - Cr(hydro)oxides 608, 610
 - groundwater numerical modeling 614–616
 - MSWI 611
 - pH conditions 609, 611
 - water leach tests 608
 - lead 681
 - Lehigh EK test cell assembly 214
 - LIDAR 14
 - life cycle assessment (LCA) 700–701
 - light detection and ranging (LIDAR) methods 506

- light scattering 504–505
lime kiln dust (LKD) 602, 603
linear absorption coefficient 250
Linearized Richards' Equation 166–167
linear wave theory 309–310
liquid wastes 675
low-level mixed waste (LLMW) 586
- m**
- macronutrients 389
macroscale P2 approaches
 industrial ecology 700
 life cycle assessment 700–701
magnetic drum 655
magnetic head pulley 654
magnetic induction (MI) sorting 646–647
magnetic separation
 ferromagnetic materials 653
 magnetic drum 655
 magnetic head pulley 654
 plate/block magnet 657
 standard-intensity 654
 suspended/overbelt 655–656
manual/hand sorting 638–640
marine aerosols 500
mass exchange network (MEN)
 synthesis 705, 706
mass integration 703, 704
material balance
 algorithm for textile industry 722
 constructive material balance 720–722
 definition 719
 evaluating and refining 721–722
 sheet 719
 sources of information 720
 tie compounds 720
 unit operations 720
material flow analysis 702
material flow analysis (MFA) 2–3
materials recycling 629
maximum contaminant levels (MCL) 618
mean free path 552
measurement methods
 contaminants of concern 27–31
 data quality objectives (DQOs)
 definition 14
 feasibility 16
 geographic area 15–16
 quantitative DQOs 15
 sampling and analysis plan 15
 direct measurement 13
 environmental sampling approaches 14
 grid or systematic sampling 22
 hypothetical composite sampling grid 20
 judgmental sampling 22
 non-composite sampling 18
 random sampling 22
 stratified random sampling 22
 stratified sampling 22
 uncertainty and contributing errors 21
 indirect measurement 13–14
 laboratory analysis
 extraction 22–23
 separation science 23–24
 LIDAR 14
 measurements and models 27
 monitoring plan 16
 monitoring site selection process 16–18
 monitoring technologies 13
 MSAT concentrations 16
 sources of uncertainty 25–26
mechanical collectors 460–461
mechanical design/production design 695
mechanical ventilation 532
membrane bioreactors 368–369
mesoscale P2 approaches
 flowsheet analysis 701–702
 qualitative methods 702–703
 quantitative methods 703–706
 unit operations 701, 702
metal hydroxide formation 678
metal recycling 673
metals industry, waste reduction in
 chemical metallurgy wastes 678–679
 hydrometallurgical wastes 682–686
 pyrometallurgical wastes 679–682
mine sites 674–675
 acid-rock drainage 677–678
 hydrometallurgical wastes 676–677
 tailings impoundments 675–676
metal sulfide formation 678
meteorology 508
micronutrients 389
microscale P2 approaches 706–707
Mie scattering 251
Milankovitch cycle 94
mineral dust aerosols 493
mineral processing techniques 675
mine sites
 acid-rock drainage 677–678
 air-borne losses 674
 environmental stewardship 674
 hydrometallurgical wastes 676–677
 metal consumption 673
 metal mining countries 673
 mineral ore deposit 674
 properties 674
 tailings impoundments 675–676
minimum efficiency reporting value (MERV) 531
mixed wastes 586–587
Monhemius diagram 683
monitoring site selection process
 air quality monitoring site 17
 feasibility considerations 16
 GIS data 17–18
 implementation phase 16
 local businesses and residents 16
 national scale map layers, EnviroAtlas 19
 selection considerations and criteria 18
 spatial tools 17
monoethanolamine (MEA) 682
MSWI *see* municipal solid waste incinerator (MSWI)
municipal solid waste (MSW) 628
municipal solid waste incinerator (MSWI) 611
- n**
- NASA Soil Moisture Active and Passive (SMAP) 259
National Ambient Air Quality Standards (NAAQS) 495, 520, 543
National Ambient Air Quality Standards and State Implementation Plans 52–53
National Emissions Inventory (NEI) 454

- National Emissions Standards for Stationary Sources 53–54
 - National Environmental Policy Act 50–52
 - and climate change 51–52
 - Federal Agency Planning 50–51
 - National Pollutant Discharge Elimination System Permits 56
 - National Pretreatment Program 351
 - National Priorities List (NPL) 596
 - naturally occurring, and/or accelerator-produced radioactive material (NARM) 586
 - natural radioactivity 546–547
 - natural ventilation 532
 - near infrared (NIR) sorting 644
 - Nernst–Planck equation 216
 - nested grid system 69
 - neutralization 361
 - neutral pressure level (NPL) 533
 - nitrogen dioxide (NO₂) 521, 543
 - non-composite sampling 18
 - nonfood crops 390, 393–394
 - nonhazardous waste
 - management 59
 - nonlinear Richards' equation 167
 - nonpotable water source 406
 - Nuclear Regulatory Commission (NRC) 587
 - nucleation 499, 502, 551, 683
 - nutrient 396
- O**
- octave bands 572
 - odors 559–560
 - open-channel flow
 - gradually varied flow 305–307
 - specific energy 304–305
 - uniform flow 304
 - unsteady flow equations 307–308
 - open-pit mines 674
 - optical spectrometer 500
 - orographic gravity wave drag (GWD) 72
 - outdoor air 521–522
 - oxides of nitrogen (NO_x) 476
 - ozone 543
- P**
- P2 *see* pollution prevention (P2)
 - packed towers 487–488
 - particle filter
 - atmosphere size modes 551
 - drift velocity 531
 - evaluating performance 529–530
 - individual dynamics 552–553
 - single-pass efficiency 529
 - size distributions 551–552
 - type of 530
 - particle number concentrations 496
 - particle size distribution 500–501
 - particulate matter (PM)
 - air quality 496
 - in atmosphere 493
 - concentration measurements 494–495
 - industrial/combustion-derived smoke 493
 - particle size measurements 497
 - removal mechanisms 514
 - US National Ambient Air Quality Standards 496
 - pathogens 341–342
 - pavement sublayer design 616
 - pelletizing 661–663
 - percolation leaching techniques 676–677
 - permeability
 - constant head test 435
 - falling head test 434–435
 - infiltration test 435
 - Kozeny–Carman equation 431
 - vertical porosity distribution 431
 - pickling liquors 686
 - pig iron 680
 - pilot-plant-scale development and testing 695
 - pinch technology 701, 702
 - Planck's radiation law 250
 - plant walk-through 718
 - plate/block magnet 657
 - plate reflectance 288
 - PM-2.5 emission 455
 - PM-2.5 particulates 454
 - PM-10 particulates 454
 - pneumatic jig 652
 - Polarimetric L-band Microwave Radiometer (PLMR) 262
 - pollutants 521
 - pollution prevention (P2)
 - bench-scale laboratory development 694
 - cost-effective solutions 692
 - cost evaluation 698
 - definition 689, 690
 - economics 698–699
 - environmental costs 698
 - establishing and maintaining 697
 - identification guidelines 693
 - integrated methodology 696–697
 - at macroscale 700–701
 - at mesoscale 701–706
 - methodology continuum 692
 - at microscale 706–707
 - potential sources 692
 - prevention methods 691–696
 - process elements for 692
 - process operations stage 695–696
 - product/process engineering stage 695
 - product/process synthesis 691
 - R&D stage 693–695
 - survey treatment techniques 699–707
- pollution prevention assessment (PPA) 696
- polydispersions 499
- popcorn slag 680
- porous pavement systems
 - construction practices
 - permeable interlocking concrete pavers 446
 - pervious concrete 445–446
 - porous asphalt 445
 - porous subbase 445
 - postinstallation 446
 - subgrade preparation 444–445
 - cost savings 430
 - driver safety 430
 - field study measurements 426
 - hydraulic behavior
 - flow routing 435–438
 - underdrains 441–442
 - undrained porous pavement 438–441
 - hydraulic conductivity 427
 - hydraulic properties 427
 - installation of 426
 - layout and siting 446
 - maintenance
 - clogging 447
 - inspection 447
 - mechanical sweeping 447
 - power washing 447
 - sediments 447
 - vacuuming 447
 - open-graded friction course (OGFC) 425
 - permeability

- constant head test 435
 - falling head test 434–435
 - infiltration test 435
 - Kozeny–Carman equation 431
 - vertical porosity
 - distribution 431
 - pond design tools 427
 - porosity
 - ASTM C1688/C1688M standard test method 434
 - ASTM C1754/ C1754M-12 standard test method 432–433
 - ASTM D7063/D7063M-11 standard test method 432
 - hardened pervious concretes 430
 - image analysis techniques 433
 - nonminimal porosity 430
 - single-sized aggregates 431
 - volumetric method 432–433
 - rainfall retention rates 426
 - in road noise 430
 - sediment and debris 427
 - structural design
 - flexible pavements 442
 - interlocking concrete pavements 442
 - rigid pavements 442
 - subgrade 443
 - thickness design 443
 - traffic 443
 - subsurface drainage 427
 - tire–pavement interaction 430
 - in urban areas 430
 - water quality 428–129
 - water quantity 429
 - potable reuse, of reclaimed wastewater
 - constituents of concern 411
 - design considerations 411, 414
 - treatment objectives 411–413
 - treatment technologies 411
 - preassessment phase, waste auditing
 - baseline information collection 717
 - implementable options 718
 - plant walk-through 718
 - precipitation 361–362 *see also*
 - chemical precipitation
 - of environmental fluxes
 - precipitation retrieval 282–284
 - radiometric signatures 282
 - preferential flow 169–170
 - pregnant leach solution 676
 - preliminary assessment (PA) 596
 - preliminary material balance 721
 - preparatory work phase, waste auditing
 - audit exercise plan 715–716
 - audit team formation 714–715
 - management groups 712–714
 - pressure outflow experiment 171
 - prevention of significant deterioration (PSD) requirements 53
 - process energy integration/heat integration 703
 - process flow diagrams 719
 - product/process synthesis 691
 - prussian blue ($\text{Fe}_4[\text{Fe}(\text{CN})_6]_3$) 675
 - psychrometrics 540–541
 - publicly owned treatment works (POTW) 380
 - pulse-jet cleaning system 470
 - pyrite 678
 - pyrometallurgical wastes
 - gaseous wastes 680–682
 - iron ore concentrates 679
 - solid wastes 679–680
- q**
- quantitative data quality objectives 15
- r**
- radiative transfer theory
 - radiative transfer equation (RTE) for absorption and emission 250–251
 - scattering 251
 - radiative transfer modeling
 - microwave domain 253–254
 - multiple-flux models 253–254
 - plate models 252–253
 - reflection and refraction processes 251–252
 - radioactive transformations 547
 - radionuclides 348
 - radon
 - activity 547
 - decay chain 547
 - health concerns 547–548
 - indoor
 - air control techniques 550–551
 - Rn control 550
 - soil characteristics 548–549
 - soil gas concentration 549–550
 - soil production 549
 - transport of 549
 - natural radioactivity 546–547
 - pollutants 543
 - radioactive transformations 547
 - rainfall retention rates 426
 - random sampling 22
 - rapid small-scale column tests (RSSCTs) 366
 - Rayleigh scattering 251
 - RCAs *see* recycled concrete aggregates (RCAs)
 - RCRA *see* Resource Conservation and Recovery Act (RCRA)
 - R&D stage *see* research and development (R&D) stage
 - recharge basins 407
 - reclaimed asphalt materials (RPMs) 599
 - record of decision (ROD) 51
 - recreational impoundments 395
 - recycled concrete aggregates (RCAs)
 - durability 617–618
 - environmental suitability 618–622
 - geotechnical performance 616–617
 - pavement sublayer design 616
 - recycled waste materials 600–601
 - recycled waste materials
 - benefit of 621
 - fly ash 600
 - RCA 600–601
 - recycling solid waste 668–669
 - redox potential 408
 - redox reactions 211
 - redox sequence 339–341
 - regenerative thermal oxidizer 491
 - Regulation of Greenhouse Gases 54–55
 - Remediation Investigation/Feasibility Study (RI/FS) 597
 - remote sensing (RS)
 - airborne sensors
 - AirMOSS 260–261
 - E-SAR/F-SAR/PLMR2, 261–262
 - and features 260
 - HyMap 259–260
 - unmanned aerial systems 262–263
 - unmanned aerial vehicles (UAVs) 259
 - environmental fluxes

- remote sensing (RS) (*cont'd*)
 - evapotranspiration 285–287
 - precipitation 282–284
 - surface water storage and fluxes 284–285
 - land surface temperature
 - air temperature 272
 - definition 269
 - linear split-window algorithm 270–271
 - nonlinear split-window algorithm 271–272
 - SC methods 270
 - TIR data 269
 - snow cover and water equivalent
 - biophysicochemical vegetation variables 279–282
 - radiometric signatures 276–277
 - snow cover retrieval 277–279
 - soil hydrostatic
 - properties 268–269
 - soil minerals
 - carbonate minerals 264
 - chemical soil composition 265
 - clay minerals 264
 - direct characterization and quantification 264
 - goethite 266
 - iron minerals 264
 - iron oxides 266
 - sulfate minerals 264
 - Vis-NIR-SWIR range 264
 - soil moisture
 - passive microwave retrieval 273–276
 - radiometric signatures 273
 - soil organic matter (SOM)
 - decomposition stage 266
 - quantity and quality 266
 - soil reflectance 266
 - soil texture 267–268
 - spaceborne sensors
 - GPM 259
 - landsat satellites 255–256
 - microwave sensors 256–257
 - Moderate Resolution Imaging Spectroradiometer (MODIS) 256
 - Sentinel-1, 258–259
 - Sentinel-2 mission 256
 - SMAP 259
 - SMOS 257–258
 - static soil properties
 - direct measurements 263
 - sampling methods 263
 - research and development (R&D)
 - stage 693–695
 - Resource Conservation and Recovery Act (RCRA)
 - 585–586, 589
 - facilities 589–591
 - hazardous waste management
 - 59–60
 - identification and classification
 - wastes 58–59
 - imports/exports 587
 - injection well 587
 - land disposal 587
 - land disposal restrictions 60
 - mixed wastes 586–587
 - nonhazardous waste
 - management 59
 - permit 588
 - solid waste 589
 - universal wastes 586
 - USTs 589
 - waste incineration 60–61
 - waste oil 586
- resource recovery 629
 - Reynolds number 501
 - Richards' Equation
 - diffusion form of 164–166
 - Linearized Richards' Equation 166–167
 - nonlinear Richards' equation 167
 - numerical solution 167–169
 - scaled forms of 169
 - soil hydraulic functions 159–160
 - roadside noise pollution 575–577
 - road surface gravel (RSG) 602–605
 - robot recycler sorting 647–649
 - rock wastes 675
 - rolling mills process 686
 - rotary screen 637–638
- S**
- Safe Drinking Water Act 587, 591
 - salinity 379, 389, 395
 - salts
 - conventional pollutants
 - irrigation 342
 - road salt 342–343
 - saltwater intrusion 343
 - well water contamination 343
 - inorganic chemical
 - constituents 378
 - sampling approaches, environmental
 - grid/systematic sampling 14, 22
 - hypothetical composite sampling grid 20
 - intensive sampling 14
 - judgmental sampling 22
 - non-composite sampling 18
 - random sampling 22
 - stratified random sampling 22
 - stratified sampling 22
 - uncertainty and contributing errors 21
 - saturated/unsaturated zones 310
 - scanning mobility particle sizer (SMPS) 499
 - sea level rise
 - accommodation 121–124
 - background 119
 - causes 119–120
 - Chesterfield Heights
 - community engagement 125
 - cross-disciplinary inquiry 126
 - existing wetland area for storage 127
 - full block raising/storage 126
 - guiding principles 126
 - living shoreline 126–127
 - observations of conditions 125
 - tidal check valves and EPA SWMM modeling 127
 - water storage 127
 - the Hague
 - check valves 131–132
 - community engagement 130
 - guiding principles/cross-disciplinary inquiry/collaborators 130
 - sponges 132–134
 - stormwater retention 129–130
 - tidal barriers 130–131
 - tidal flooding 129
 - impacts of 120
 - structures and adaptation
 - design
 - elevating structures 120–121
 - protection 120
 - retreat 121
 - sea-salt aerosol 499
 - Seasonal Soil Compartment (SESOIL) 615
 - secondary maximum contaminant levels (SMCL) 618
 - sedimentation 141, 358–359

- sensor-based sorting
 - color sorting 643–644
 - devices 643
 - laser-induced breakdown spectroscopy 646
 - magnetic induction 646–647
 - near infrared 644
 - X-ray fluorescence 644–645
 - X-ray transmission 645–646
- Sensor Integrated Environmental Remote Research Aircraft (SIERRA) 262
- sequencing batch reactors 367–368
- shredders 632–635
- sick building syndrome (SBS) 555–556
- Simplified-Surface Energy Balance Index (S–SEBI) algorithm 285–286
- single mass exchanger 705
- single-pass efficiency 529
- single-ring infiltration method 172–173
- Site Inspection (SI) 596
- size separation, solid waste
 - disk screen 638
 - rotary screen/trommel 637–638
 - vibrating screen 637
- size/volume reduction equipment, solid waste
 - equipment factors 629–630
 - hammer mill 631–632
 - impactors 631
 - shredders
 - bag opener 633–635
 - flail mill 632–633
 - knife shredder 633
 - wood grinders 635–636
- slags 673, 679–680
- Small Quantity Generators (SQGs) 595
- smoke particles
 - biomass burning 494
 - optical properties 494
- smoking 544–545
- Smoluchowski's theory 684
- social life cycle assessment 7, 9–11
- soil conditions 395
- soil hydraulic functions 159–160
- soil physical properties and processes
 - exploitation 137
 - fundamental mass-volume relationships
 - degree of saturation 138
 - dry bulk density 138
 - gravimetric water content 138
 - mean particle density 138
 - porosity 138
 - void ratio 138
 - volumetric water content 138
- heat pulse measurements
 - soil heat balance and subsurface evaporation 190–192
 - soil thermal property fitting 189–190
 - soil water flux density and direction 190
- heat transport
 - analytical solutions to 185–186
 - conductive heat transport 185
 - convective heat transport 185
 - heat conservation equation 185
 - radiant heat transport 184–185
- size distribution and soil
 - classification
 - coulter counter method 142
 - dry and wet sieving methods 140–141
 - indirect methods, for estimation 143–144
 - laser diffractometry 142–143
 - PSD information for textural classification 144
 - sedimentation methods 141
 - X-Ray attenuation (SediGraph) method 141–142
- soil hydraulic properties
 - constant-head flow method 170
 - double-ring infiltration method 172
 - dripper method 173
 - evaporation method 172
 - falling-head flow method 170–171
 - internal drainage method 173
 - pressure outflow experiment 171
 - single-ring infiltration method 172–173
- soil parameters
 - breakthrough curve 179–182
 - solute concentration measurement 182
- soil temperature
 - direct soil contact temperature measurement 183
 - noncontact soil temperature measurement 183–184
- soil water
 - characteristics 153–158
 - electromagnetic water content measurement techniques 148–150
 - energy state 150–153
 - Euclidean separation distance 147
 - flow velocity of water 146
 - matric potential 147
 - neutron scattering 147–148
- solute transport processes
 - adsorption 176
 - advection 174
 - advection-dispersion equation and analytical solutions 178–179
 - diffusion 174
 - dispersion 174–176
 - exclusion 176–177
 - unsaturated soils 177–178
- specific surface of soils
 - nonpolar gases, adsorption of 145
 - physical measurements 144
 - polar liquids, adsorption of 145–146
- temperature effects, on biological activity 192–194
- thermal properties
 - soil heat capacity 186–187
 - soil thermal conductivity 187–189
 - soil thermal diffusivity 189
- water flow models
 - Buckingham–Darcy Equation 160–164
 - Buckingham–Darcy Law 159
 - Darcy's Law 158–159
 - preferential flow 169–170
 - Richards' Equation 159–160, 164–169
- soil water
 - characteristics 153–158
 - electromagnetic water content measurement techniques 148–150
 - energy state 150–153
 - Euclidean separation distance 147
 - flow velocity of water 146
 - matric potential 147
 - neutron scattering 147–148
- Solid Waste Disposal Act 585

- solid wastes 589, 673, 674
 - casting sands 680
 - dust 680
 - pyrometallurgical processes 679
 - slags 679–680
 - solid waste separation and process
 - agglomeration (cubing and pelletizing) 661–663
 - ballistic separation 660–661
 - compaction/baling 663–665
 - density/gravity separation
 - air cyclones 652
 - air separators 649–652
 - heavy media separators 652–653
 - stoners 652
 - economic benefits 667–668
 - Eddy-current separation 657–659
 - electrostatic separation 659–660
 - employment benefits 668
 - environmental benefits 666–667
 - froth flotation 661
 - landfill mining to circular economy 628–629
 - magnetic separation 653–657
 - manual/hand sorting 638–642
 - principles of 629
 - recycling prospects 668–669
 - reuse and recycling 627–628
 - robot sorting 647–649
 - sensor-based sorting 642–647
 - size separation
 - disk screen 638
 - rotary screen/trommel 637–638
 - vibrating screen 637
 - size/volume reduction
 - equipment factors 629–630
 - size reduction equipment 630–635
 - wood grinders 635–636
 - solute transport, in aquifers 312–313
 - sound divergence 570, 573
 - sound frequency 570
 - sound intensity 570
 - sound level meters 574–575
 - Amprobe SM-20A 575
 - roadside noise 575–577
 - sound power 569
 - sound pressure 569, 570
 - vs. distance 573
 - vs. frequency 572–573
 - vs. intensity 570–572
 - sound propagation
 - direct sound path 568
 - environmental elements of 567
 - pure sound wave 567
 - reflected sound path 568
 - sound wave mathematics 569
 - wave fronts 568
 - source-sink mapping 704, 705
 - spaceborne sensors
 - GPM 259
 - landsat satellites 255–256
 - microwave sensors 256–257
 - Moderate Resolution Imaging Spectroradiometer (MODIS) 256
 - Sentinel-1, 258–259
 - Sentinel-2 mission 256
 - SMAP 259
 - SMOS 257–258
 - spatial tools 17
 - speciation 346
 - spectral emission coefficient 250
 - spectral methods 69
 - spectral representation 69
 - spectral scattering coefficient 251
 - stack effect 533
 - staggered grids 69
 - star-shaped disk screen 638–639
 - starter dike 676
 - statistical inference 14
 - statistical methods 272
 - statistical model 77
 - steel production 679
 - Stefan-Boltzmann law 250
 - Stokes wave theory 309
 - stratified random sampling 22
 - stratified sampling 22
 - stream augmentation 399–402
 - substance flow analysis 3
 - sulfide mining 677
 - sulfur dioxide (SO₂) 481–483, 521, 680–682
 - supercritical water oxidation 364–365
 - Superfund Amendments and Reauthorization Act (SARA) 589
 - surface impoundments 591
 - surface spreading 407
 - surface waves
 - linear wave theory 309–310
 - spatial and temporal scales 308
 - Stokes wave theory 309
 - 2D regular surface gravity waves 309
 - wind-generated waves 308
 - suspended/overbelt
 - magnet 655–656
 - suspended solids 407
 - sustainable development 627
 - sustainable development goal (SDG) 2015, 709
 - systematic waste audit 725
- t**
- tailings impoundments 675–676
 - hydrometallurgical processing wastes 682
 - liquid-solid separation 677
 - tapioca-manufacturing factory
 - assessment phase 726
 - economical evaluation 728
 - mass balance comparisons 728
 - preassessment phase 725–726
 - preparatory work phase 725
 - starch milk production 727
 - synthesis and preliminary analysis 726, 728, 729
 - technical evaluation 728
 - wastewater characteristic loading 728
 - tau-omega model 274–276
 - Technology-Based Effluent Limitations 56–57
 - temperature-vegetation index (TVX) method 272
 - TEOM technique 496
 - terminal settling velocity 497–498
 - thermal comfort 539–540
 - thermal optical reflectance (TOR) 506
 - tinnitus, noise pollutin 566
 - Title 22 of the California Code of Regulations for Water Recycling Criteria 380
 - total cost assessment (TCA) 698
 - total organic carbon (TOC) 378
 - total suspended particulate material (TSP) 495
 - total volatile organic compounds (TVOCs) 555

- toxicology 593–594
 toxic organics 346–347
 toxic substances
 aesthetics vs. health 346
 inorganic toxicants 347–348
 natural vs. alien 345–346
 radionuclides 348
 speciation 346
 toxic organics 346–347
 trace chemical constituents 379
 tracer gas techniques 536–538
 transmittance model 288
 treatment, storage and disposal
 facilities (TSDFs)
 588–590
 trihalomethane (THM)
 compounds 378
 trommel screen 637–638
- U**
- ultraviolet germicidal irradiation
 (UVGI)
 cooling coil 527
 design considerations 528
 effectiveness 528
 environmental factors 528
 inactivation rate 528
 upper-room 527
 ventilation ducts 527
 uncertainty analysis
 complex entities 26
 contaminant assessment
 process 26
 decision-rule uncertainty 25
 exposure assessment 26
 modeling uncertainties 25
 Monte Carlo technique 25
 numerical value uncertainties 26
 uncertainty factors (UFs) 26
 variability and 25
 unconfined aquifers 310
 Underground Injection Control
 (UIC) 591
 underground sources of drinking
 water (USDW) 587
 underground storage tanks
 (USTs) 586, 589
 unit operations 719
 universal wastes 586
 unmanned aerial systems
 262–263
 unsaturated soils 177–178
 upflow anaerobic sludge blanket
 (UASB) 370
- upstream method, tailings dike
 construction 676
 urban areas *see also* environmental
 noise pollution
 human health effects 566–567
 noise pollution 565–566
 roadside noise 575–577
 rolling noise 580
 sound level meters 574
 traffic noise 579
 urban canopy model 72
 urban mining 628–629
 urban reuse, of wastewater recycling
 decentralization 379
 design considerations
 constituent application 387
 decentralized treatment and
 application 387
 economic and technical
 viability 387
 reliability 387
 temporal water balance 387
 inorganic chemical constituents
 378–379
 microorganisms
 indicator organisms 378
 municipal wastewater 377
 particulate matter 377–378
 pathogenic agents 377
 spraying/dripping 377
 waterborne diseases 376
 organic constituents 378
 trace chemical constituents 379
 treatment objectives
 restricted urban reuse
 380–384
 unrestricted urban reuse 380
 treatment technologies
 advanced oxidation 386
 depth filtration 385
 disinfection 386
 filtration technologies 385
 granular activated carbon 386
 membrane filtration
 385–386
 natural treatment systems
 386–387
 surface filtration 385
 urea-formaldehyde foam insulation
 (UFFI) 544
 US automobile industry 673
 U.S. Environmental Protection
 Agency (US EPA) 494, 583,
 674, 691
- average concentrations 495
 chemical compatibility chart
 590, 592
 US National Ambient Air Quality
 Standards 496
- V**
- vadose zone injection 407
 vapors 673
 ventilation and infiltration
 air age 536
 air exchange effectiveness 536
 airflow through openings
 534–535
 air leakage measurement
 535–536
 driving mechanisms 532–533
 large building ventilation
 practices 534
 natural ventilation flow
 rates 535
 residential ventilation practices
 533–534
 ventilation efficiency 536
 ventilation measurements
 air velocity measurements
 538–539
 fan pressurization 539
 tracer gas techniques 536–538
 vibrating screen 637
 viscous propagation 328–329
 volatile organic compounds (VOC)
 488–491, 521, 543
 isotherms 556–557
 SBS 555–556
 surface interactions 556–557
 TVOC 555
 volcanic activity 94
- W**
- waste(s)
 audit report 717
 deepwater storage 678
 end-of-pipe treatment 709
 generation audits 700
 impoundment design 675
 management hierarchy 689, 690
 of milling operation 675
 at mine sites 673
 recycling/reuse 712
 segregation of 718
 treatment cost 710
 valuable materials, recovery
 of 700

- waste auditing 712, 715–716 *see also* industrial waste auditing
 - housekeeping processes 715
 - inventory processes 715
 - methodology steps 713
 - packaging processes 715
 - production processes 715
 - tapioca-manufacturing factory 725–729
 - waste treatment processes 715
- waste from electronic and electric equipment (WEEE) 652, 659
- waste incineration 60–61
- waste interception and allocation networks (WINS) 706
- waste minimization 629, 689, 690
 - advantages 711
 - analysis phase 712
 - audit of target processes 715
 - audit phase 711
 - cleaner production cycle 711
 - design and development phase 712
 - development cycle 711–712
 - Douglas's hierarchical procedure 704
 - evaluation phase 712
 - implementation phase 712
 - inception phase 711
 - industrial waste auditing 710–711
- waste minimization and reuse technologies
 - aggregates 599
 - benefit of 621
 - durability 604–608
 - fly ash 600–602
 - geotechnical performance 602–604
 - leachate
 - chemical analysis 608–614
 - groundwater numerical modeling 614–616
 - RCA
 - durability 617–618
 - environmental suitability 618–621
 - geotechnical performance 616–617
 - pavement sublayer design 616
 - waste materials 599–601
- waste oil 586
- waste piles 591
- waste reduction
 - chemical metallurgy wastes 678–679
 - hydrometallurgical wastes 682–686
 - pyrometallurgical wastes 679–682
 - definition 690–691
 - integrated methods 705
 - mine sites 674–675
 - acid-rock drainage 677–678
 - hydrometallurgical wastes 676–677
 - tailings impoundments 675–676
 - operational changes 696
 - pollution prevention programs
 - economics 698–699
 - integrated methodology 696–697
 - prevention methods 691–696
 - survey treatment techniques 699–707
 - potential sources 692
 - waste management hierarchy 689
- wastewater 721
- wastewater recycling
 - agricultural reuse 388–395
 - desalination 375
 - energy source
 - anaerobic pretreatment 418
 - biogas 418
 - industrial wastewater treatment 421–422
 - environmental reuse 397–400
 - groundwater recharge 406–410
 - for impoundments 395–397
 - industrial reuse 400–406
 - in Israel 375
 - legal and regulatory issues 416, 418–420
 - nonpotable reclaimed wastewater 375
 - nutrient recovery 422–423
 - planning and funding 416, 417
 - potable reuse of 410–414
 - public health protection 375
 - public involvement and participation 418
 - reliability requirements
 - alarm systems 415
 - Federal Water Quality Administration 414–416
 - industrial pretreatment program 415–416
 - pipings and control, flexibility of 414
 - power supply 414
 - quality assurance program 414–415
 - storage requirements 415
 - treatment systems, monitoring of 414
- wastewater treatment plants
 - biological waste treatment
 - activated sludge process 367
 - anaerobic processes 369–370
 - biological aerated filters 369
 - membrane bioreactors 368–369
 - sequencing batch reactors 367–368
 - types 367
 - characteristics and requirements
 - categorical pretreatment standards 354
 - 5-day biochemical oxygen demand (BOD₅) 352
 - Effluent Guidelines and Limitations 354
 - industrial facility 352
 - local limits 354
 - National Pretreatment Program 351
 - priority pollutants 351
 - prohibited discharge standards 352, 355
 - chemical treatment
 - adsorption and ion exchange 365–366
 - chemical oxidation and reduction 362–364
 - electrochemical process 365
- urban reuse of
 - decentralization 379
 - design considerations 387
 - inorganic chemical constituents 378–379
 - microorganisms 376–378
 - organic constituents 378
 - restricted urban reuse 380, 383, 384
 - trace chemical constituents 379
 - treatment technologies 383, 385–387
 - unrestricted urban reuse 380–382
 - in U.S., 375
- wastewater treatment plants
 - biological waste treatment
 - activated sludge process 367
 - anaerobic processes 369–370
 - biological aerated filters 369
 - membrane bioreactors 368–369
 - sequencing batch reactors 367–368
 - types 367
 - characteristics and requirements
 - categorical pretreatment standards 354
 - 5-day biochemical oxygen demand (BOD₅) 352
 - Effluent Guidelines and Limitations 354
 - industrial facility 352
 - local limits 354
 - National Pretreatment Program 351
 - priority pollutants 351
 - prohibited discharge standards 352, 355
 - chemical treatment
 - adsorption and ion exchange 365–366
 - chemical oxidation and reduction 362–364
 - electrochemical process 365

- neutralization 361
 - precipitation 361–362
 - wet air oxidation and supercritical water oxidation 364–365
 - physical unit process
 - air stripping 356–358
 - evaporation 361
 - filtration 359
 - flotation 359–360
 - oil and grease removal 360–361
 - sedimentation/clarification 358–359
 - water flow models
 - Buckingham–Darcy Equation
 - steady-state evaporation and infiltration 160–162
 - transient infiltration 162–163
 - Buckingham–Darcy Law 159
 - Darcy’s Law 158–159
 - preferential flow 169–170
 - Richards’ Equation
 - diffusion form of 164–166
 - Linearized Richards’ Equation 166–167
 - nonlinear Richards’ equation 167
 - numerical solution 167–169
 - scaled forms of 169
 - soil hydraulic functions 159–160
 - water leach tests (WLTs) 608, 612
 - water quality 428–129
 - acid and pH
 - acid rain 345
 - mining and acid mine drainage 345
 - characteristics 333
 - direct biological health impacts 333
 - dissolved oxygen
 - depletion 339–341
 - emerging water pollutants 348–349
 - eutrophication 341
 - heat and temperature
 - biochemical reactions 343
 - dissolved gases 343–344
 - species shifts and survivability 344
 - historical background
 - ancient water sanitation 334–335
 - in London 335–336
 - industrial/technological pollution 338–339
 - natural/conventional pollution 337–338
 - pathogens 341–342
 - salts 342–343
 - suspended solids 344–345
 - toxic substances
 - aesthetics vs. health 346
 - inorganic toxicants 347–348
 - natural vs. alien 345–346
 - radionuclides 348
 - speciation 346
 - toxic organics 346–347
 - water quality limits (WQLs) 612
 - Water Quality Standards 57–58
 - water quantity 429
 - weatherization 541–542
 - weighted sum method 722–724
 - wells, in aquifers 311–312
 - wet air oxidation 364–365
 - wetlands 398–400
 - wet scrubbers
 - mass transfer process 484
 - removal efficiencies 484
 - types of 487
 - water-soluble gases 484
 - windblown dust 499, 674
 - wind-generated waves 308
 - WiscLEACH 615, 616
 - wood grinders 635–636
 - World Health Organization (WHO) 578
- X**
- X-ray attenuation (SediGraph) method 141–142
 - X-ray fluorescence (XRF) sorting 644–645
 - X-ray transmission (XRT) sorting 645–646
- Y**
- Yosemite National Park 504–505
- Z**
- ZenRobotics Recycler (ZRR) 647
 - zinc 681

