

INDEX

- Activation function, 175
 Akaike information criterion, 4
 Antithetic variate, 385
 AR model, 5
 ARCH model, 25, 110
 ARIMA model, 269
 ARMA model, 3
 Arranged autoregression, 36, 53
 Augmentation method, 383
 Autocorrelation function, 3
 Autocovariance function, 2
 Autoregressive conditional duration (ACD) model, 229
 Autoregressive conditional mean (ACM) model, 229
 Auxiliary particle filter, 423
 Back-prorogation, 176
 Backfitting
 ACE algorithm, 158, 160
 BRUTO algorithm, 158, 159
 Backtesting, 9
 Bagging, 209
 Bandwidth, 120
 Baum-Welch algorithm, 356
 BLUE: best linear unbiased estimator, 336, 341
 Boltzmann machine, 182
 Restricted, 183
 Bootstrap filter, 413
 Box-Muller algorithm, 378
 CAPM model, 139, 273, 304
 Causal time series, 3

494 INDEX

- Compound Poisson process, 51
- Conditional dynamic linear model, 429
- Conditional heteroscedasticity, 10
- Contrastive divergence, 183
- Correlation
 - Spearman, 3
- Correlation integral, 22
- Cross validation, 122
- Data
 - U.S. unemployment rate, 4
 - Amazon return, 185
 - Canadian lynx, 34
 - Crude oil price, 9, 160, 180
 - ECG, 153
 - Electricity demand, 245
 - Fama-French factors, 304, 365
 - Gas furnace, 16
 - Gasoline price, 160
 - GDP, 196
 - GM return, 139
 - Industrial production index, 95
 - PM2.5, 202
 - Real GDP, 143
 - S&P 500 index, 358
 - SPY, 234
 - SPY log return, 471
 - SPY return, 237
 - Sunspot, 133
 - TAQ, 190
 - Temperature, 254
 - U.S. GDP, 82
 - Unemployment duration, 126
- Decision tree, 195
- Deep belief net, 182, 184
- Deep learning, 181
- Distribution
 - Beta, 379
 - Chi-square, 379
 - Double Poisson, 229
 - Exponential, 379, 382
 - F , 379
 - Gamma, 379
 - Negative binomial, 20, 229
 - Poisson, 20
 - Student- t , 379
 - Uniform, 378
- Distributional time series, 285
- Effective sample size, 390, 398, 426
- EGARCH model, 243
- EM algorithm, 356
- Energy function, 183
- Ensemble, 42
- Ergodicity, 43, 399
- Exponential AR model, 100
- Exponential family distribution, 218
- Factor model
 - Dynamic, 283
 - Fama-French, 273
- Filter
 - High pass, 150
 - Low pass, 150
- Filtering, 66
- Functional time series, 284
 - Autoregressive model, 248
 - Convolution, 248
- Functional-coefficient AR model, 99
- GARCH model, 10, 235
- Gauss-Markov theorem, 336
- Gaussian sum filter, 338
- Generalized autoregressive moving average model, 218
- Generalized cross validation, 122, 159
- Geometric drift condition, 234
- Gibbs sampler, 401
- Gini index, 202
- GJR model, 242
- Great moderation, 82
- Growth principle, 428
- Haar basis function, 138
- Harmonium, 183
- Heaviside function, 175
- Hidden Markov model, 289
- Hypobolic tangent, 175
- Identifiability, 65
- Importance sampling, 387

- Independent particle filter, 413
- Index model, 164
- Innovation process, 296
- Inverse CDF, 379

- Kalman filter, 105, 293, 295, 429–431
 - Ensemble, 341
 - Extended, 337
 - Unscented, 339
- Kalman gain, 295
- Kalman smoothing, 297, 299
- Kernel estimator
 - Expanechnikov, 120
 - Gasser-Müller, 122
- Kurtosis
 - Excess, 8

- Leverage effect, 242
- Likelihood, 268, 438
 - Complete data, 69
- Linearity, 3
- Link function, 218, 232
 - y, 233
- Locally weighted scatterplot smoothing, 131
- Long short-term memory (LSTM), 182

- Marginal weighting, 396
- Markov chain, 111, 112, 398
 - Absorbing, 113
 - Aperiodic, 113
 - Ergodic, 114
 - Irreducible, 113
 - Recurrent, 113
 - Stationary distribution, 114
- Markov switching model, 12, 63, 289
- MCMC, 72, 398
 - Aperiodic, 399
 - Baker acceptance rule, 401
 - Irreducible, 399
 - Proposal, 412, 441
- Metropolis-Hasting algorithm, 75, 400
- MIDAS
 - Mixed frequency data analysis, 291

- Mixing
 - α , 126
 - ϕ , 126
- Multiresolution analysis, 149

- NAAR, 160
- NAARX model, 160
- Nadaraya-Watson estimator, 120
- Neural network, 174
 - Node, 174
- Nonlinear additive model
 - AR, 158
- Nonlinearity test
 - BDS test, 22
 - F-test, 33
 - Keenan, 32
 - Lagrange multiplier test, 25
 - McLeod-Li test, 25
 - Rank-based test, 27
 - RESET, 32
 - Tar-F, 37
- Nuisance parameter, 35

- Ordered probit model, 191
- Ornstein-Uhlenbeck process, 248
- Out-of-bag observation, 210

- Particle filter, 403
 - Unscented, 412
- Particle smoothing, 403
- Perceptron, 175
- Phase ambiguity, 280
- Piecewise linear regression, 43
- Portmanteau test, 25
- Priority score, 397

- Rao-Blackwellization, 428, 444, 452
- RCA model, 110
- Realization, 42
- Realized volatility, 105
- Rejection method, 379
- Residuals
 - Identity, 222
 - Pearson, 221
 - Pseudo predictive, 210
 - Score-type, 222

496 INDEX

- Sample degeneracy, 421
- Self-avoiding walk, 420
- Sequential sampling, 382
- Sieve estimators, 254
- Sigmoid function, 175
- Signal processing, 279
- Single index model, 164
- SIR, 164
 - Procedure, 165
- Skeleton, 42
- Skewness, 8
- Slice inverse regression, 164
- Smooth transition AR model, 92
 - Exponential, 93
 - Logistic, 93
- Smoothing, 66
 - Fixed lag, 299
- Smoothing parameter, 120
- Softmax function, 175
- Spline
 - B-spline, 138
 - Egrees of freedom, 143
 - Knot, 134
 - Natural cubic, 138
 - Smoothing, 141
- State space model, 104, 266, 402, 423
 - Local level model, 271
 - Local trend model, 271
 - Markovian, 266
 - Seasonal model, 272
 - Time-varying coefficient model, 273
- State variable, 266
- Stationarity
 - Functional time series, 247
 - Strict, 2
 - Weak, 2
- Stochastic volatility, 285, 290, 471
- SURE shrinkage, 152
- Target tracking, 273
 - Mobile network, 278
 - Other, 278
 - Passive sonar, 277
- TGARCH model, 242
- Threshold
 - Universal, 151
- Threshold autoregressive model, 5, 43
- Thresholding
 - Hard, 151
 - Soft, 151
- Time-varying AR model, 104
- Time-varying coefficient model, 99
- Transfer function model, 15
- Transition probability, 112, 351
- Tree
 - Classification, 201
 - Regression, 195
- Viterbi algorithm, 355
- Volatility, 10, 358
- Volterra series, 31
- Wavelet, 145
 - Father, 145
 - Mother, 145
- Wavelet transform, 150
- Yield curve, 285
 - Nelson-Siegel, 286