

EXAMPLES INDEX

- Abortion opinions, 7, 16, 254–255, 257–260, 281–283
 student survey, 315–318
 AIDS and AZT use, 116, 153
 Alligator food choice, 160–163, 187
 Assisted living enrollment, 322
 Astrology and ghosts, 59
 Auto accidents and seat-belts, 58
 Automobile accidents, 192, 204–210, 222

 Baseball complete games, 84
 Basketball free throws, 279–281
 Belief in afterlife, 25, 164–166, 221
 Birth control and premarital sex, 214–217
 Birth control and religion, 223, 225
 Birth weight and smoking case-control study, 234–235
 Breast cancer and mammograms, 28
 Breast cancer and prednisolone, 61
 Breast cancer and tamoxifen, 57
 Buchanan votes for President, 85

 Cancer and aspirin, 59
 Cancer and smoking case-control study, 35
 Cancer of larynx treatments, 61
 Cancer remission, 113, 156
 Carcinoma diagnoses by pathologists, 292–295

 Carcinoma diagnosis agreement, 243–246
 Cholesterol and cereal, 191
 Clinical trial for fungal infections, 156
 Clinical trial with Bayesian inference, 51
 Close friends, 87
 Coffee brand market share, 235–239
 Coke tasting, 252
 Crossover clinical trial, 270, 297

 Death penalty and race, 53–56, 62, 117, 222
 Depression clinical trial, 269–270, 297
 Developmental toxicity, 192
 Diagnostic testing, 26–28, 57

 Endometrial cancer grade, 139–144
 Environment opinions, 22, 227, 231, 240, 242, 275–276
 Environmental threats exaggerated, 190
 Evolution and political ideology, 78–82, 146

 Fish hatching, 297

 Global warming, 63, 251
 Gore/Bush election and Buchanan vote, 84
 Government spending, 224
 Graduate admissions and gender, Berkeley, 154

366 EXAMPLES INDEX

- Graduate admissions and gender, Florida, 132–133, 297
- Gunshot wounds and intent, 58
- Happiness and family income, 59, 172–174
- Happiness and heaven, 195–197
- Heart attacks and aspirin, 30–34
- Heart catheterization and race, 58
- Heart disease and blood pressure, 135
- Heart disease and cholesterol, 151
- Heart disease and snoring, 69–72, 86, 148–149
- Heaven and hell, 249
- Heaven, belief in, 22
- Homicide rates in Britain and US, 57
- Horseshoe crabs
- classification table, 110–111
 - classification tree, 303–305
 - color and width predictors, 102–107, 127
 - count response, 73–75, 220–221
 - discriminant analysis, 301
 - generalized additive model, 311
 - marginal effects, 108–109
 - model selection, 124–130
 - monandrous or polyandrous, 152
 - multiple predictors, 124–130, 152
 - predictive power, 111–113
 - ROC curve, 111
 - width predictor, 91–93, 95–97
- Infant malformation and alcohol use, 43–45, 84
- Insomnia clinical trial, 260–263, 265, 284–285
- Iris flower data, 321
- Job satisfaction, 188
- by income, 61
- Kyphosis risk factors, 115, 312–313
- Lung cancer and gender, 57
- Lung cancer and smoking in China, 155
- Lung cancer clinical trial, 189
- Lung cancer survival, 218–219
- Mammograms, 28
- Marijuana use, 99–100, 131
- Marital happiness and family income, 189
- Market basket data, 306
- MBTI, 116–117, 120, 153
- Mental impairment, 178–181, 183–184, 190
- Movie ratings, 252
- Multiple sclerosis ratings, 252
- Murder rates, race and gender, 62
- Murderer and victim race, 59
- Myocardial infarction case-control study, 249
- Nonmetastatic osteosarcoma and lymphocytic infiltration, 155
- Obesity in children, 271
- Pig farmers veterinary source, 270
- Political affiliation by race, 60
- Political affiliation and global warming, 63
- Political affiliation gender gap, 39–42
- Political ideology and evolution, 78–82
- Political ideology and party affiliation, 86, 169–178, 185
- Political ideology and religion, 189
- Premarital sex and birth control, 214–217
- Presidential voting, 58
- election clustering, 308
- Prostate cancer and PSA test, 57
- Region of residence mobility, 250
- Religion and birth control, 223, 225
- Religious affiliation mobility, 250
- Religious beliefs and education, 61
- Respiratory illness and maternal smoking, 263–265
- Russian roulette, 22
- Same-sex marriage and political party, 58
- Seat belts and injury, 58
- Sex, extramarital and premarital, 251, 297
- Sexual intercourse and gender, 226
- Shopping destination choice, 167
- Silicon wafer imperfections, 88
- Simpson's paradox
- death penalty, 54, 62
 - graduate admissions, 133
 - statewide death rates, 62
- Siskel and Ebert movie ratings, 252
- Smoking and heart disease, 58
- Smoking and lung cancer, 35, 58
- Smoking prevention study, 289–291, 298
- Student performance, 288–289
- Student substance use, 198–203, 212–213, 268, 296
- Student survey, 152, 315–318
- Surgery meta-analysis, 285–288

EXAMPLES INDEX **367**

Tea tasting experiment, 47–50
Tennis player ranking, 247–248, 252
Teratology experiment, 295
Titanic survival and gender, 58
Tonsil size and streptococcus,
186–187

Toy example of complete separation, 137
Travel credit card and income, 87
Vegetarianism, 23
World Cup odds, 57

SUBJECT INDEX

- Adjacent-categories logit model, 184–185
 Agreement, 243–246, 292–295
 Agresti–Coull confidence interval, 9, 19, 332, 343
 AIC, 128–130, 206, 293, 319
 Artofstat website, 5, 10
 Association, 25–63, 325–326
 Autoregressive correlations, 257
 Average marginal effect, 109, 146, 147, 178

 Backward elimination, 125, 319
 Baseline-category logit model, 160–167
 Bayesian fitting, 183
 goodness of fit, 164
 marginal distributions, 235–237
 Bayesian inference
 comparing proportions, 50
 cumulative logit model, 183–184
 equal-tail interval, 14
 generalized linear models, 83
 HPD interval, 50
 introduction, 13–15
 large p , 321
 logistic regression, 140–143
 loglinear models, 203
 posterior interval, 14
 R software, 142
 SAS software, 336
 Stata software, 343–345
 two-way tables, 50
 Bernoulli trial, 3
 Beta distribution, 15–16, 50
 Bias reduction in logistic regression, 143–144
 Bias/variance tradeoff, 128–130, 311–312
 classification trees, 304, 306
 penalized likelihood, 314–315, 318
 BIC, 129
 Binary data, 2
 generalized linear models, 68–72
 grouped versus ungrouped, 72, 131
 logistic regression, 89–157
 Binomial distribution, 3–5
 Bayesian inference, 15–16
 small-area estimation, 278
 small-sample test, 12–13
 Binomial sampling, 28
 Bonferroni method, 319
 Bradley–Terry model, 247–248

 Canonical link function, 67
 Case-control study, 35–36, 234
 logistic regression, 93
 odds ratio estimation, 35–36
 Categorical data, 1–348

370 SUBJECT INDEX

- Chi-squared distribution, 37
partitioning, 41–42
- Chi-squared tests of independence, 36–46, 216
- Classification
discriminant analysis, 300–302
multiple categories, 302
tree-based, 302–306
- Classification tables, 110–112
discriminant analysis, 300–302
tree-based prediction, 304
- Classification tree, 302–306
R software, 305
SAS software, 342
versus logistic regression, 305–306
- Clinical trial, 36
- Cluster analysis, 306–310
R software, 309
SAS software, 342
Stata software, 346
- Clustered categorical data, 253–298
SAS software, 341
SPSS software, 348
Stata software, 346
- Cochran–Armitage trend test, 46
- Cochran–Mantel–Haenszel test, 101, 237
- Cohen’s kappa, 246
- Collapsibility conditions, 211–213
- Collapsing categorical scales, 176, 211–213
- Complete separation, 136–140
- Concordance index, 111
- Conditional associations, 53, 197
- Conditional distribution, 26
- Conditional independence, 56, 101, 107
graphs, 291
logistic model, 101, 107
loglinear model, 197, 201, 210–213
significance tests, 101
- Conditional logistic regression, 144–145, 233–235
- Conditional maximum likelihood, 144, 233
- Conservative inference, 13, 18, 49
- Contingency table, 26, 325
- Continuation-ratio logits, 186
- Continuity correction, 18, 229
- Cook’s distance, 135
- Correlation
clustered data, 257, 275
predictive power, 112–113, 182
testing independence for ordinal variables, 43, 217
- Credible interval, 14
- Cross-product ratio, 33
- Cross-validation, 111, 300
k-fold, 315
- Cumulative distribution function, 149, 168
- Cumulative link model, 175–184
Bayesian fitting, 183
- Cumulative logit model, 167–184
Bayesian fitting, 183–184
goodness of fit, 176–178
interpretations using probabilities, 178–181
marginal distributions, 240
marginal model, 260–263, 266
non-proportional odds, 176–178
random effects model, 284–285
transitional model, 265
- Cumulative odds ratio, 169
- Cumulative probability, 149, 167, 171, 181, 240
R, 10, 20
- Cumulative probit model, 175, 181–182
- Degrees of freedom interpretation, 38
- Dendrogram, 307
- Dependent proportions, 228–230
- Dependent samples, 227
- Deviance, 80–81
analysis of, 80
conservative for sparse data, 293
goodness of fit, 130–132, 164, 200
model comparison, 80
residuals, 81, 134, 154
- Diagnostic testing, 134–136
- Difference of proportions, 29–30
dependent samples, 230
- Dimension reduction, 318–320
- Dirichlet distribution, 16, 321
- Discrete choice model, 166–167
- Discriminant analysis, 300–302
R software, 301
SAS software, 342
Stata software, 346
versus logistic regression, 302
- Dispersion parameter, 220
- Dissimilarity index, 207
- Dissimilarity, clustering, 306–307
- Dummy variable, 98
- Empty cell, 138
- Exchangeable correlations, 257
- Experimental study, 36
- Explanatory variable, 2
- Factors, 98
- False discovery rate, 319–320
- Firth penalized likelihood, 143

- Fisher scoring, 82–83, 169, 328
- Fisher's exact test, 46–50, 145
 - $r \times c$ table, 49
- Fixed effects, 273–274
- Forward selection, 126, 153

- Gauss–Hermite quadrature, 277–278
- GEE method, 231, 236, 256–263
- Generalized additive model, 310–313
 - binary data, 91, 311–313
 - count data, 74, 311
- Generalized estimating equations (GEE)
 - methods, 256–263
 - binary matched pairs, 231
 - multinomial responses, 260–263
 - nominal matched pairs, 236
 - ordinal matched pairs, 240
- Generalized linear mixed models, 274–298
 - logistic-normal, 275
 - multilevel, 288–291
 - ordinal, 284–285
 - random intercept, 274
 - random intercept and slope, 287
- Generalized linear model, 65–88
 - binary data, 68–72, 89–157
 - components, 66–67
 - counts, 72–76, 217–221
 - fitting, 82–83
 - inference, 76–82
 - R software, 71
 - SAS software, 334
 - SPSS software, 347
 - Stata software, 344
- Geometric distribution, 22
- GLM, 65
- Graphical methods, 41, 210

- Hierarchical clustering, 307–310
- Hierarchical model, 288–291
- High-dimensional data, 307, 313–321
 - Bayesian methods, 321
- Highest posterior density interval, 50
- Homogeneous association, 56
 - logistic model, 99, 101
 - loglinear model, 197–200, 205, 207
 - significance test, 101
- Hosmer–Lemeshow test, 132
- Hypergeometric distribution, 47, 145

- Identity link function, 67, 146
- Independence
 - chi-squared tests, 36–46, 172–174, 216
 - loglinear model, 194–195
- Independence from irrelevant alternatives, 167
- Independence graphs, 210–213
- Indicator variable, 98
 - coding, 98–101
- Infinite estimates
 - Bayesian shrinkage, 142
 - finite with penalized likelihood, 144
 - logistic regression, 136–140, 144
 - multinomial models, 178
- Influence diagnostics, 134–136
- Interaction
 - cumulative logit model, 260, 284
 - loglinear model, 196
 - random effects model, 287
 - three-way contingency table, 197
- Item response models, 283, 328
- Iteratively reweighted least squares, 83, 327

- Jeffreys prior distribution, 15, 50
 - binomial parameter, 15
- Joint distribution, 26

- Kappa agreement measure, 246

- Laplace approximation, 278
- Lasso, 314–319
 - R software, 316
- Latent class models, 291–295
- Latent variable, 147, 273
- Latent variable model
 - binary data, 147–150
 - latent class models, 291–295
 - ordinal data, 174–182
 - probability comparison of groups, 180
- Leverage, 81
- Likelihood equations, 23, 82, 255
- Likelihood function, 6, 77
- Likelihood-ratio statistic, 11, 77
 - contingency tables, 38
 - deviance difference, 80
- Likelihood-ratio test, 11
 - GLM, 77
 - GLMM, 278
 - independence, 38
 - logistic regression, 125, 130, 138, 140
 - proportion, 12
- Linear discriminant analysis, 300–302
- Linear predictor (GLM), 66
- Linear probability model, 68–69, 71, 146–147, 300, 301
- Linear trend test of independence, 43, 216
- Linear-by-linear association model, 215–217

372 SUBJECT INDEX

- Link function, 66
 - identity, 67, 146, 230
 - log, 67, 194
 - logit, 67, 89, 168, 231
 - probit, 147, 181
- Local odds ratio, 185, 215
- Logistic distribution, 149–150, 175
- Logistic regression, 67–71, 89–157
 - ANOVA representation of factors, 100
 - Bayesian fitting, 140–143
 - case-control studies, 93, 234–235
 - categorical predictors, 98–102
 - clustered data, 254–263
 - collapsibility conditions, 213
 - conditional, 144–145, 233–234
 - confidence intervals for effects, 94
 - confidence intervals for probabilities, 96–98
 - effects, 90, 107–109
 - grouped versus ungrouped data file, 72
 - inference, 94–98
 - infinite estimates, 136–140, 144, 178
 - interaction, 106
 - linear approximation, 90, 108–109, 146
 - marginal effects, 108–109
 - marginal models, 231, 254–263
 - Markov, 263–266
 - matched pairs, 231, 233–235, 274–276
 - model checking, 130–136
 - model comparison, 104
 - model selection, 113, 123
 - multinomial, 159–192
 - multiple, 102–107
 - normal distribution implication, 94
 - penalized likelihood, 143–144
 - probability interpretations, 107–109
 - R software, 91
 - residuals, 132–134
 - retrospective studies, 93, 234
 - SAS software, 334
 - significance tests, 95
 - standardized interpretations, 109
 - Stata software, 344
 - subject-specific, 233, 255, 274–291
 - uncorrelated explanatory variables, 107, 213
- Logistic-normal model, 275
- Logit link function, 67
- Loglinear models, 67, 193–226
 - Bayesian fitting, 203
 - collapsibility conditions, 211–213
 - conditional independence, 197
 - count response data, 217–221
 - goodness of fit tests, 200
 - homogeneous association, 197–200, 203, 205, 207
 - independence, 194–195
 - logistic model connection, 207–210
 - mutual independence, 197
 - ordinal variables, 214–217
 - quasi independence, 244
 - residuals, 201
 - saturated, 196–197
 - three-factor interaction, 205–206
- LogXact, 145, 328
- Machine learning, 302
- Mantel–Haenszel statistic, 237
- Marginal distribution, 26, 228
- Marginal effects, 108–109, 178
- Marginal homogeneity
 - T* dimensional, 260, 296
 - c* categories, 235–242
 - 2 × 2 tables, 228–229
 - ordinal variables, 241
 - test for nominal variables, 235–239
 - test for ordinal variables, 240–242
- Marginal models, 254–263
 - compared with GLMM, 276, 277, 282, 284–285
 - matched pairs, 230–232, 276
 - ordinal, 260–263, 284
 - versus GLMMs, 283
- Markov chain Monte Carlo, 14
- Markov logistic regression, 263–266
- Matched pairs, 227–252, 274–276
- Maximum likelihood estimate, 6
 - conditional, 144
 - infinite, 137
- McNemar test, 228–229, 237, 249
- Median effective level, 90
- Meta-analysis, 285–288
- Mid *P*-value, 13
 - confidence interval for odds ratio, 50
 - Fisher’s exact test, 49
- Missing at random, 267
- Missing completely at random, 266
- Missing data, 266–268
- Mixed-membership model, 295
- Mixture models, 291
 - latent class, 291–295
- ML estimate, 6
- Model averaging, 129
- Model comparison
 - deviance, 80
 - logistic regression, 104

- Model selection
 - high-dimensional, 318–320
 - logistic, 123–130
- Model smoothing, 311
- Monte Carlo methods, 14, 49, 278
- Mosaic plot, 41
- Multicategory logit models, 159–192
- Multicollinearity, 143, 314
- Multilevel model, 288–291
- Multinomial distribution, 5, 159, 194, 321
- Multinomial models, 159–192
 - GLMMs, 284–285
 - large p , 321
 - marginal models, 260–263
 - SAS software, 336
 - SPSS software, 348
 - Stata software, 345
- Multinomial sampling, 28, 194
- Multiple comparisons, 320
 - false discovery rate, 319–320
- Multiple correlation, 112
 - binary GLM, 112
 - ordinal model, 182
- Multiple imputation, 267–268

- Natural parameter, 67
- Negative binomial regression, 220–221
- Newton–Raphson algorithm, 83, 292
- Nominal variables, 2
 - loglinear models, 194–213
 - multicategory logit models, 159–167, 235
- Null deviance, 80
- Null model, 77, 80, 96

- Observational study, 36
- Odds ratio, 31
 - agreement, 245
 - case-control studies, 35
 - conditional and marginal, 55
 - confidence interval, 33–34, 94
 - confidence interval for small n , 50
 - local, 185, 215
 - logistic regression, 90, 143
 - loglinear parameters, 196, 198, 199, 202, 205–206
 - relative risk approximation, 36
- Offset, 217
- One-standard-error rule, 305, 315
- Ordinal quasi symmetry, 241–242
- Ordinal tests
 - greater power, 45, 172–174
- Ordinal variables, 2
 - GLMMs, 284–285
 - loglinear models, 214–217
 - marginal models, 260–263
 - multicategory logit models, 167–184
 - test of independence, 42–46, 216–217
- Ordinary least squares
 - linear discriminant analysis, 300
 - linear probability model, 146
- Overdispersion, 75–76, 217, 220–221
 - quasi-likelihood methods, 256

- Parsimony, 128
 - model smoothing, 128–130, 311, 318
- Partial tables, 53
- Partitioning chi-squared, 41–42
- Pearson chi-squared statistic, 37, 130
 - Pearson residual contributions, 81
 - score test, 78
 - standardized residuals, 134
- Pearson residual, 81, 134, 154
- Penalized likelihood, 143–144, 314
- Perfect discrimination, 136
- Poisson distribution, 72, 193, 194
 - loglinear models, 226
 - overdispersion, 75–76, 217
- Poisson GLM, 73, 194–221
- Poisson loglinear model, 73–75, 194–226
- Poisson regression, 73–76, 220
- Population-averaged effects, 233, 255, 276
- Posterior distribution, 14
- Posterior interval
 - 2×2 tables, 50–52
 - highest posterior density, 50
 - logistic parameter, 142–143
 - odds ratio, 51, 203
 - proportion, 14
- Power and sample size determination, 150
- Predictive power, 110–113, 182
- Principal component analysis, 319
- Prior distribution, 14, 16, 51
 - beta, 15, 50
 - binary response probabilities, 15–16
 - conjugate, 15, 50
 - Dirichlet, 321
 - Jeffreys, 15
 - normal, 83, 141
 - spike-and-slab, 321
 - uniform, 15, 321
- Probit model, 147–150, 175, 181–182, 327
- Profile likelihood confidence interval, 78, 79, 95, 144

374 SUBJECT INDEX

- Proportion
 confidence intervals, 8–9
 difference, 29–30
 difference for dependent samples, 230
 significance tests, 7, 13
- Proportional hazards model, 219
- Proportional odds, 169
 adjacent-categories logits, 184–185
 cumulative logits, 168–184
 sequential logits, 186–187
- Pruning classification tree, 304
- Purposeful selection, 126–127
- Quadrature points, 277
- Qualitative variable, 1
- Quantitative variable, 1
- Quasi independence, 244, 246
- Quasi symmetry, 238–239
 agreement modeling, 245
 Bradley–Terry model, 247
 ordinal, 241–242
 testing marginal homogeneity, 238, 241
- Quasi-complete separation, 136–140, 144, 177
- Quasi-likelihood, 255–257, 259
- R (software), 331
 Anova function, 78, 95, 100, 104, 124, 202, 216
 CMHtest function, 44
 MCMCpack package, 142, 203
 PropCIs package, 20, 29, 31, 34, 51, 229, 230
 VGAM package, 91, 161, 170, 173, 174, 185
 anova function, 105, 260, 313
 bestglm function, 129
 binom package, 19
 brglm2 package, 137, 140
 car package, 95, 100, 104
 chisq.test function, 40
 clmm function, 284
 cond package, 141
 confint function, 78
 diffci.bayes function, 51
 dist function, 309
 epitools package, 34, 49, 50
 exact2x2 package, 49
 exactci package, 20
 fisher.test function, 49
 gam function, 74, 313
 gam package, 313
 geeglm function, 260
 geepack package, 260
 gee function, 231, 258
 glm.scoretest function, 78
 glmer function, 275, 279, 281, 286, 287, 290
 glmnet package, 316
 glm function, 71, 74, 78, 91, 95, 96, 99, 102, 104–106, 110, 112, 113, 116, 124, 128, 131, 134, 137, 139, 141, 146, 148, 195, 196, 199, 201, 202, 208, 216, 219, 239, 242, 244, 247, 257, 264, 281, 291, 316, 318
 hclust function, 309
 lda function, 301
 lme4 package, 275, 279, 281, 286, 287, 290
 logistf package, 144
 logitmfx function, 109
 loglm function, 195
 lrtest function, 162, 173, 174
 mcnemar.test function, 229
 mfx package, 109
 multgee package, 236, 240, 261, 262
 ocAME function, 180
 orci.bayes function, 51
 ordinal package, 284
 p.adjust function, 320
 PROC package, 112
 poLCA function, 294
 polr function, 179, 181, 182
 predict function, 179
 prop.test function, 18, 31
 prune function, 305
 psych package, 246
 read.table command, 17
 rpart package, 305
 statmod package, 78
 stepAIC function, 129
 vcdExtra package, 44
 vglm function, 161, 162, 165, 170, 171, 173, 174, 177, 185, 186
 introduction, 17–18
- R-squared
 binary data, 112
 ordinal model, 182
- Random component (GLM), 66
- Random effects models, 273–298
- Random intercept, 274, 285
- Random slope, 285–288
- Rasch model, 283, 328
- Rater agreement, 243–246, 292–295
- Rates, modeling, 217–219
- Regularization methods, 143–144, 313, 321
- Relative risk, 30–31
 odds ratio approximation, 36
- Repeated measurement, 253–298

- Residual deviance, 80
- Residuals
 - contingency table, 39
 - deviance, 81, 134, 154
 - GLM, 81–82
 - logistic regression, 132–135
 - loglinear models, 201
 - Pearson, 81, 134, 154
 - standardized, 39, 81–82, 132–134, 201
- Response variable, 2
- Retrospective study, 35
 - logistic regression, 93
- Ridge regression, 314
- ROC curves, 111–112

- Sample size determination
 - comparing proportions, 150
 - logistic regression, 150–151
- Sampling zero, 138
- Sandwich standard errors, 257
- SAS, 332–342
- Saturated model, 80
 - logistic, 130
 - loglinear, 196–197
- Score confidence interval
 - dependent proportions, 230
 - difference of proportions, 29, 31
 - odds ratio, 34
 - proportion, 9, 18, 19
 - relative risk, 31
- Score test, 11
 - correlation, 43, 217
 - GLM, 78
 - independence, 38
 - marginal homogeneity, 237
 - proportion, 12
- Scores, choice of, 45, 87, 106, 216
- Sensitivity and specificity, 26–28
- Separation
 - data, 136–140
 - variables, 210–212
- Sequential logit model, 186–187
- Shrinkage estimator, 143, 279, 314, 315, 318
 - Bayesian, 321
- Sign test, 22
- Simpson's paradox, 54, 133, 326
- Small-area estimation, 278–281
- Small-sample inference
 - $r \times c$ table, 49
 - 2×2 table, 46–50
 - binomial, 12–13
 - logistic regression, 145

- Smoothing
 - binary data, 311
 - generalized additive model, 310
 - penalized likelihood, 314–318
- Software summaries, 331–348
- Sparse data, 138, 143, 164
 - deviance is conservative, 293
- Sparse structure, 318
- Spline functions, 311
- SPSS, 346–348
- Square contingency tables, 227–252
- Standardized coefficients, 109
- Standardized residual, 39
 - generalized linear model, 81–82
 - independence, 39, 243
 - logistic regression, 132–134, 154
 - loglinear models, 201
 - symmetry in square table, 238
- Standardized variables, 109, 141, 314
- Stata (software), 342–346
- Statistical independence, 28
- StatXact, 145, 328, 331
- Stepwise variable selection, 125–127
- Subject-specific effects, 232–234, 255, 276
- Survival model, 218–219
- Symmetry, 237–239, 245

- Transitional models, 263–266
- Tree-based classification, 302–306
- Trend tests of independence, 42–46, 216

- Uniform association, 215
- Uniform distribution, 15, 321

- Variable selection, 123–130, 318–320
 - high-dimensional, 313–321
- Variance component, 274, 277

- Wald confidence interval, 11, 78
 - difference of proportions, 29, 31
 - GLM parameter, 78
 - logistic parameter, 94
 - odds ratio, 33–34
 - proportion, 8, 11
- Wald test, 10, 138
 - GLM, 77
 - infinite logistic estimate, 138
 - logistic parameter, 95
 - proportion, 12
- Weighted kappa, 246
- Weighted least squares, 83
- Wilson confidence interval, 9, 332, 343

